



footwear offering that was suited to the contours of their feet. A decade after its launch, the brand successfully expanded its product offering into workwear and fall arrest, through its careful consideration of the

women, and thus the PPE procured should reflect this.

By doing so, women can focus their full attention on the job at hand, increasing their productivity on-site.

SiSi

FOOTWEAR

SINGLE DENSITY POLYURETHANE SOLE



TOE CAP SOLE

TOE CAP

SOLE

Steel toe cap | Available in NSTC 53501 Single Density PU

Court / 53001





Sizes: 2 - 9 Colour: Black Shape: Narrow **SANS / ISO 20345**

Coral / 53002





Sizes: 2 - 9

Colour: Black with black and

grey suede overlay Shape: Narrow

SANS / ISO 20345



Steel toe cap

Single Density PU

TOE CAP SOLE

Steel toe cap | Available in NSTC 51502 Single Density PU

Venice / 51002





Sizes: 3 - 8 Colour: Black **Shape:** Standard **SANS / ISO 20345** NRCS/9002/287766/0110

TOE CAP SOLE

Steel toe cap | Available in NSTC 51505 Single Density PU

Sydney / 51005





3 - 8 Sizes: Colour: Black and brown

Shape: Standard **SANS / ISO 20345** NRCS/9002/287766/0135



TOE CAP

SOLE

Steel toe cap | Available in NSTC 51503 Single Density PU

Paris / 51003





Sizes: 3 - 8 Colour: Black Shape: Standard **SANS / ISO 20345** NRCS/9002/287766/0132



TOE CAP SOLE

Steel toe cap Single Density PU

Madonna / 51004





Sizes: 3 - 8

Colour: Black with purple stitching

Shape: Standard **SANS / ISO 20345** NRCS/9002/287766/0145

TOE CAP SOLE

Steel toe cap Single Density PU

Opal / 53003





Sizes: 2 - 9 Colour: Black or

SANS / ISO 20345

brown Shape: Standard

DUAL DENSITY POLYURETHANE SOLE



Steel toe cap | Available in NSTC 54501

SRC SLIP

RESISTANCE RATING

SRC SLIP

RESISTANCE RATING

SOLE Dual Density PU/PU **MIDSOLE** Available in APT 54601 & SMS 54701



TOE CAP SOLE

TOE CAP

MIDSOLE

SOLE

TOE CAP

Steel toe cap | Available in NSTC 54502 Dual Density PU/PU

Available in APT 54602 & SMS 54702 **MIDSOLE**

Steel toe cap

Dual Density PU/PU

Available in APT 55603

Colour: Black Shape: Standard EN / ISO 20345 NRCS/9002/287766/223

Sizes:

Nicole / 54001



Sizes: 2 - 9 Colour: Black Shape: Standard

Cate / 54002

EN / ISO 20345

Angelina / 55003







Sizes: 3 - 8

Colour: Black with blue trim

Shape: Standard

Yvonne / 55013

EN / ISO 20345

TOE CAP

SOLE

Dual Density PU/PU



Steel toe cap



Sizes: 3 - 8

Colour: Black and grey trim Shape: Standard

EN / ISO 20345

TOE CAP SOLE

MIDSOLE

Steel toe cap | Available in NSTC 55512 Dual Density PU/PU

Available in APT 55612

Tyra / 55012



SABS

Sizes:



FREE S/

Colour: Black Shape: Standard SANS / ISO 20345

TOE CAP SOLE **MIDSOLE** Steel toe cap | Available in NSTC 55505 Dual Density PU/PU

Available in APT 55605



TOE CAP SOLE

MIDSOLE

Steel toe cap | Available in NSTC 55506 Dual Density PU/PU Available in APT 55606

Colour: Black with pink trim

Jennifer / 55005



Reese / 55006





Sizes:

Colour: Black with pink trim Shape: Standard

SANS / ISO 20345 NRCS/9002/287766/0152

SiSi

WORKWEAR

65/35 POLY COTTON STANDARD CONTI SUIT



REFLECTIVE CONTI SUIT SIZE: Coat: 32-56 Pants: 28-56 WEIGHT: 300GSM flame retardant acid resistant SHBS APPROVED 100% COTTON VIZLITE™ VIZLITE™

D59 100% COTTON







J54 100% COTTON MATERNITY CONTI SUIT

COLOUR

OJ13222 / OT13221



J54 100% COTTON BOILER SUIT



TRIPLE STITCHING

da Gama

DA GAMA TEXTILES

CORE RANGE

STANDARD HARNESS RANGE WITH PERMANENTLY ATTACHED SHOCK ABSORBING LANYARDS AND ADJUSTABLE LEG AND ELASTICATED CHEST STRAP

Sizing

One size fits all

Standards

SANS 50354 | SANS 50355 | SANS 50361 | SANS 50362



Webbing:

45mm UV-resistant polyester, minimum breaking load of 2,6 tonnes



45mm UV-resistant elastic webbing

Buckles:

Interlocking, corrosionresistant steel buckles





CODE: HARN01111

CODE: HARN01211

CORE+ RANGE

BELTED HARNESS RANGE WITH PERMANENTLY ATTACHED SHOCK ABSORBING LANYARDS AND ADJUSTABLE SHOULDER, LEG, WAIST AND ELASTICATED CHEST STRAP

Sizing

One size fits all

Standards

SANS 50354 | SANS 50355 | SANS 50361 | SANS 50362



Webbing:

45mm UV-resistant polyester, minimum breaking load of 2,6 tonnes

Chest Strap:

45mm UV-resistant elastic webbing

Buckles:

Interlocking, corrosionresistant steel buckles







CODE: HARN02211



FOR WOMEN, THE RISK OF INJURY DOES NOT STOP WHEN THE FALL DOES.

If placed below the bust area, polyester webbing can rise aggressively up and over the bust at the end of a fall, resulting in secondary related injuries to the wearer.


That's why all our Sisi harnesses are fitted with an ADJUSTABLE ELASTICATED CHEST STRAP that stretches in the event of a fall, substantially reducing the pressure on the bust area. Furthermore, the chest strap can be moved up and down the shoulder straps, allowing each wearer to place it in the position that is most comfortable to them without compromising on the effectiveness of the harness.















SISI

SAFETY WEAR

A product of



40 Gillitts Road, Pinetown, 3610, KwaZulu-Natal, South Africa

This product is proudly manufactured in South Africa

info@bbfsafety.com

www.sisi.co.za





